

Northwest Community Schools  
Custodial Services High School

Macro Staffing and Inventory Data				168 Spaces 133,400 Total CSF	Flex Field (Count)	Total Base Time (Minutes) = 60,135.49	MACRO STAFFING (Both in Minutes)	SWA Level = 3.03/TWA Level = 2.88	Avg. CSF/FTE = 18.124	Minutes To Clean = 3,091.29	Total FTEs = 7.36	168 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF Per FTE	Mins per day (Both)	FTEs (Both)	Default Row Seq
2	Room 208-212 Hall		260	2,500		1,018.05	Public (Circulation) with Hard Floor	Level 3	30,536	34.39	0.082	2
3	Room 210 Hall		261	700		285.06	Public (Circulation) with Hard Floor	Level 3	30,536	9.63	0.023	3
4	Room 200-205 Hall		262	2,400		977.33	Public (Circulation) with Hard Floor	Level 3	30,536	33.01	0.079	4
5	Main Office Hall		360	825		335.96	Public (Circulation) with Hard Floor	Level 3	30,536	11.35	0.027	5
6	Media Center Hall		361	2,300		936.61	Public (Circulation) with Hard Floor	Level 3	30,536	31.64	0.075	6
7	Cafeteria Lobby		362	1,200		488.67	Public (Circulation) with Hard Floor	Level 3	30,536	16.51	0.039	7
8	Main Entry Lobby		363	575		234.15	Public (Circulation) with Hard Floor	Level 3	30,536	7.91	0.019	8
9	Gym Hall		460	2,450		997.69	Public (Circulation) with Hard Floor	Level 3	30,536	33.70	0.080	9
10	Cafeteria N Entry Hall		461	425		173.07	Public (Circulation) with Hard Floor	Level 3	30,536	5.85	0.014	10
11	Cafeteria S Entry Hall		462	600		244.33	Public (Circulation) with Hard Floor	Level 3	30,536	8.25	0.020	11
12	Rooms 521-528 Hall		560	1,725		702.46	Public (Circulation) with Hard Floor	Level 3	30,536	23.73	0.056	12
13	500 Wing N/S Hall		561	1,350		549.75	Public (Circulation) with Hard Floor	Level 3	30,536	18.57	0.044	13
14	Rooms 507-517 Hall		562	2,240		912.18	Public (Circulation) with Hard Floor	Level 3	30,536	30.81	0.073	14
15	500 Wing N/S Hall		563	1,875		763.54	Public (Circulation) with Hard Floor	Level 3	30,536	25.79	0.061	15
16	Rooms 500-506		564	2,775		1,130.04	Public (Circulation) with Hard Floor	Level 3	30,536	38.17	0.091	16
17	Rooms 519-520 Hall		566	375		152.71	Public (Circulation) with Hard Floor	Level 3	30,536	5.16	0.012	17
18	Gym Lobby		660	1,925		783.90	Public (Circulation) with Hard Floor	Level 3	30,536	26.48	0.063	18
19	Gym Coaches Entry Hall		662	275		111.99	Public (Circulation) with Hard Floor	Level 3	30,536	3.78	0.009	19
20	Computer Lab		100	1,300		579.31	Classroom With Carpet Floor	Level 3	24,016	22.73	0.054	20
21	Classroom		101	2,325		1,036.08	Classroom With Carpet Floor	Level 3	24,016	40.66	0.097	21
22	Classroom		102	1,575		701.86	Classroom With Carpet Floor	Level 3	24,016	27.54	0.066	22
23	Classroom		103	2,500		1,114.06	Classroom With Carpet Floor	Level 3	24,016	43.72	0.104	23
24	Classroom		104	525		319.95	Classroom With Hard Floor	Level 3	26,514	8.32	0.020	24
25	Classroom		105	1,300		792.25	Classroom With Hard Floor	Level 3	26,514	20.59	0.049	25
26	Classroom		106	1,500		914.14	Classroom With Hard Floor	Level 3	26,514	23.76	0.057	26
27	Classroom		200	700		426.60	Classroom With Hard Floor	Level 3	26,514	11.09	0.026	27
28	Classroom		201	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	28
29	Art Room		202	1,650		1,005.55	Classroom With Hard Floor	Level 3	26,514	26.14	0.062	29
30	Classroom		204	1,100		670.37	Classroom With Hard Floor	Level 3	26,514	17.42	0.041	30
31	Classroom		205	1,100		670.37	Classroom With Hard Floor	Level 3	26,514	17.42	0.041	31
32	Classroom		207	700		426.60	Classroom With Hard Floor	Level 3	26,514	11.09	0.026	32
33	Classroom		208	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	33
34	Living Skills Classroom		209	1,650		1,005.55	Classroom With Hard Floor	Level 3	26,514	26.14	0.062	34
35	Classroom		210	500		304.71	Classroom With Hard Floor	Level 3	26,514	7.92	0.019	35
36	Classroom		211	1,100		670.37	Classroom With Hard Floor	Level 3	26,514	17.42	0.041	36
37	Classroom		212	1,100		670.37	Classroom With Hard Floor	Level 3	26,514	17.42	0.041	37
38	Classroom		213	1,200		731.31	Classroom With Hard Floor	Level 3	26,514	19.01	0.045	38
39	Computer Lab Classroom		500	1,100		490.19	Classroom With Carpet Floor	Level 3	24,016	19.24	0.046	39
40	Classroom		501	625		380.89	Classroom With Hard Floor	Level 3	26,514	9.90	0.024	40

Northwest Community Schools  
Custodial Services High School

Macro Staffing and Inventory Data				168 Spaces 133,400 Total CSF	Flex Field (Count)	Total Base Time (Minutes) = 60,135.49	MACRO STAFFING (Both in Minutes)	SWA Level = 3.03/TWA Level = 2.88	Avg. CSF/FTE = 18.124	Minutes To Clean = 3,091.29	Total FTEs = 7.36	168 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF Per FTE	Mins per day (Both)	FTEs (Both)	Default Row Seq
41	Classroom		502	425		259.01	Classroom With Hard Floor	Level 3	26,514	6.73	0.016	41
42	Classroom		503	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	42
43	Classroom		504	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	43
44	Classroom		505	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	44
45	Classroom		506	875		389.92	Classroom With Hard Floor	Level 3	24,016	15.30	0.036	45
46	Classroom		507	1,100		670.37	Classroom With Hard Floor	Level 3	26,514	17.42	0.041	46
47	Classroom		508	1,100		490.19	Classroom With Carpet Floor	Level 3	24,016	19.24	0.046	47
48	Classroom		509	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	48
49	Computer Lab		510	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	49
50	Classroom		511	375		228.53	Classroom With Hard Floor	Level 3	26,514	5.94	0.014	50
51	Classroom		513	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	51
52	Classroom		514	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	52
53	Classroom		515	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	53
54	Classroom		516	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	54
55	Classroom		517	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	55
56	Classroom		518	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	56
57	Classroom		519	875		533.25	Classroom With Hard Floor	Level 3	26,514	13.86	0.033	57
58	Classroom		520	875		389.92	Classroom With Carpet Floor	Level 3	24,016	15.30	0.036	58
59	Classroom		521	1,100		615.24	Office with Hard Floor	Level 3	25,101	18.41	0.044	59
60	Classroom		522	825		367.64	Classroom With Carpet Floor	Level 3	24,016	14.43	0.034	60
61	Classroom		524	450		274.24	Classroom With Hard Floor	Level 3	26,514	7.13	0.017	61
62	Classroom		525	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	62
63	Classroom		526	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	63
64	Classroom		527	825		502.78	Classroom With Hard Floor	Level 3	26,514	13.07	0.031	64
65	Classroom		528	875		389.92	Classroom With Carpet Floor	Level 3	24,016	15.30	0.036	65
66	Gym		601	15,000		4,693.73	Gymnasium (Wood Floor)	Level 3	80,727	78.04	0.186	66
67	Girl's Locker Room		602	3,050		268.55	Shower Room	Level 3	4,770	268.55	0.639	67
68	Boy's locker Room		603	3,200		281.76	Shower Room	Level 3	4,770	281.76	0.671	68
69	Weight & Conditioning Room		604	2,175		656.95	Cafeteria with Hard Floor	Level 3	16,365	55.82	0.133	69
70	Team Room Office		605 o	550		121.38	Locker/Changing Room - No Shower	Level 3	12,060	19.15	0.046	70
71	Team Room Office		605 a	125		69.91	Office with Hard Floor	Level 3	9,761	2.09	0.005	71
72	Wrestling Room		606	2,100		1,650.11	Utility	Level 3	25,101	90.36	0.215	72
73	Team Room Office		607 a	125		69.91	Office with Hard Floor	Level 3	25,101	2.09	0.005	73
74	Team Room		607	550		307.62	Office with Hard Floor	Level 3	25,101	9.20	0.022	74
75	Media Center Hall		304	3,600		683.94	Library with Carpet	Level 3	71,755	21.07	0.050	75
76	Media Center Storage		302	275		153.81	Office with Hard Floor	Level 4	35,972	3.21	0.008	76
77	Media Center Work Room		303	350		195.76	Office with Hard Floor	Level 3	25,101	5.86	0.014	77
78	Cafeteria Dining Room		403	6,300		1,902.89	Cafeteria with Hard Floor	Level 3	16,365	161.69	0.385	78
79	Cafeteria Alcart Room		446	450		135.92	Cafeteria with Hard Floor	Level 3	16,365	11.55	0.027	79
80	Kitchen		447 o	1,575		475.72	Cafeteria with Hard Floor	Level 3	16,365	40.42	0.096	80

Northwest Community Schools  
Custodial Services High School

Macro Staffing and Inventory Data												
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field (count)	Total Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	Avg. CSF/FTE =	Minutes To Clean =	Total FTEs =	Default Row Seq
				168 Spaces 133,400 Total CSF		60,135.49	MACRO STAFFING (Both in Minutes)	SWA Level = 3.03/TWA Level = 2.88	18,124	3,091.29	7.36	168 Spaces
81	Kitchen Office		447 C	100		55.93	Office with Hard Floor	Level 3	25,101	1.67	0.004	81
82	Kitchen Storage		447b	100		78.58	Utility	Level 3	9,761	4.30	0.010	82
83	Kitchen Storage		447 c	550		432.17	Utility	Level 3	9,761	23.67	0.056	83
84	Kitchen Dish Room		447 e	425		128.37	Cafeteria with Hard Floor	Level 3	16,365	10.91	0.026	84
85	Compressor Room		448	100		78.58	Utility	Level 3	9,761	4.30	0.010	85
86	Staff Restroom		170	125		41.95	Washroom	Level 2	2,571	20.42	0.049	86
87	Staff Restroom		171	125		41.95	Washroom	Level 2	2,571	20.42	0.049	87
88	Restroom		172	200		67.13	Washroom	Level 2	2,571	32.68	0.078	88
89	Restroom		173	200		67.13	Washroom	Level 2	2,571	32.68	0.078	89
90	Kitchen Restroom		447 a	80		26.85	Washroom	Level 2	2,571	13.07	0.031	90
91	Teachers Lounge Restroom		401 a	225		75.52	Washroom	Level 2	2,571	36.76	0.088	91
92	Teachers Lounge Restroom		401 b	225		75.52	Washroom	Level 2	2,571	36.76	0.088	92
93	Restroom		470	225		75.52	Washroom	Level 2	2,571	36.76	0.088	93
94	Restroom		471	225		75.52	Washroom	Level 2	2,571	36.76	0.088	94
95	Staff Restroom		570	150		50.35	Washroom	Level 2	2,571	24.51	0.058	95
96	Staff Restroom		571	150		50.35	Washroom	Level 2	2,571	24.51	0.058	96
97	Restroom		572	250		83.91	Washroom	Level 2	2,571	40.85	0.097	97
98	Restroom		573	250		83.91	Washroom	Level 2	2,571	40.85	0.097	98
99	Restroom		670	275		92.30	Washroom	Level 2	2,571	44.93	0.107	99
100	Restroom		671	275		92.30	Washroom	Level 2	2,571	44.93	0.107	100
101	Main Office Restroom		710 d	60		20.14	Washroom	Level 2	2,571	9.80	0.023	101
102	Main Office Restroom		713 a	30		10.07	Washroom	Level 2	2,571	4.90	0.012	102
103	main office restroom		714 a	30		10.07	Washroom	Level 2	2,571	4.90	0.012	103
104	Main Office Reception		700	325		128.54	Office with Carpet Floor	Level 2	18,215	7.49	0.018	104
105	Guidance Main Office		701 o	375		148.32	Office with Carpet Floor	Level 3	32,031	4.92	0.012	105
106	Guidance Counselor Office		701 a	80		31.64	Office with Carpet Floor	Level 3	32,031	1.05	0.002	106
107	Guidance Counselor Office		701 a	80		31.64	Office with Carpet Floor	Level 2	18,215	1.84	0.004	107
108	Guidance Counselor Office		701 b	90		35.60	Office with Carpet Floor	Level 3	32,031	1.18	0.003	108
109	Main Office Storage		701 d	300		118.65	Office with Carpet Floor	Level 3	32,031	3.93	0.009	109
110	Main Office		701 o	550		217.53	Office with Carpet Floor	Level 2	18,215	12.68	0.030	110
111	Assistance Principles Office		710 a	150		59.33	Office with Carpet Floor	Level 3	32,031	1.97	0.005	111
112	Principles Office		710 b	150		59.33	Office with Carpet Floor	Level 3	32,031	1.97	0.005	112
113	Office		710 c	150		59.33	Office with Carpet Floor	Level 3	32,031	1.97	0.005	113
114	Nurse's Office		710 f	75		29.66	Office with Carpet Floor	Level 2	18,215	1.73	0.004	114
115	Main Office Storage		711	60		23.73	Office with Carpet Floor	Level 4	53,222	0.47	0.001	115
116	Meeting		712	150		59.33	Office with Carpet Floor	Level 3	32,031	1.97	0.005	116
117	Mail Room		713	60		23.73	Office with Carpet Floor	Level 3	32,031	0.79	0.002	117
118	Main Office Storage		714	60		23.73	Office with Carpet Floor	Level 3	32,031	0.79	0.002	118
119	Office for Classroom 100		100 a	75		29.66	Office with Carpet Floor	Level 4	53,222	0.59	0.001	119
120	Office for Classroom 102		102 a	75		41.95	Office with Hard Floor	Level 4	35,972	0.88	0.002	120

Northwest Community Schools  
Custodial Services High School

Macro Staffing and Inventory Data				168 Spaces 133,400 Total CSF	Flex Field (Count)	Total Base Time (Minutes) = 60,135.49	MACRO STAFFING (Both in Minutes)	SWA Level = 3.03/TWA Level = 2.88	Ave. CSF/FTE = 18,124	Minutes To Clean = 3,091.29	Total FTEs = 7.36	168 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF Per FTE	Mins per day (Both)	FTEs (Both)	Default Row Seq
121	Storage		102 b	150		37.05	Storeroom	Level 3	391,016	0.16	0.000	121
122	Storage		105 a	150		37.05	Storeroom	Level 3	391,016	0.16	0.000	122
123	Storage		105 b	75		18.53	Storeroom	Level 3	391,016	0.08	0.000	123
124	storage		105 c	150		37.05	Storeroom	Level 3	391,016	0.16	0.000	124
125	Office for Classroom 106		106 a	75		41.95	Office with Hard Floor	Level 4	35,972	0.88	0.002	125
126	Choir Practice		101 a	200		79.10	Office with Carpet Floor	Level 4	53,222	1.58	0.004	126
127	Choir Practice		101 b	100		39.55	Office with Carpet Floor	Level 4	53,222	0.79	0.002	127
128	Choir Practice		101 c	100		39.55	Office with Carpet Floor	Level 4	53,222	0.79	0.002	128
129	Choir Office		101 d	125		49.44	Office with Carpet Floor	Level 4	53,222	0.99	0.002	129
130	Band Practice Room		103 a	200		79.10	Office with Carpet Floor	Level 4	53,222	1.58	0.004	130
131	Band Practice Room		103 b	100		39.55	Office with Carpet Floor	Level 4	53,222	0.79	0.002	131
132	Band Practice Room		103 c	100		39.55	Office with Carpet Floor	Level 4	53,222	0.79	0.002	132
133	Band Office		103 d	125		49.44	Office with Carpet Floor	Level 4	53,222	0.99	0.002	133
134	Custodial Closet		140	100		78.58	Utility	Level 4	17,669	2.38	0.006	134
135	Science Dept Work Room		240	900		707.19	Utility	Level 3	9,761	38.73	0.092	135
136	Chemical Storage		240 a	125		98.22	Utility	Level 4	17,669	2.97	0.007	136
137	storage		241	125		98.22	Utility	Level 4	17,669	2.97	0.007	137
138	storage		242	425		333.95	Utility	Level 4	17,669	10.10	0.024	138
139	Office		243	125		69.91	Office with Hard Floor	Level 4	35,972	1.46	0.003	139
140	Storage		245	200		157.15	Utility	Level 4	17,669	4.75	0.011	140
141	storage		246	250		196.44	Utility	Level 4	17,669	5.94	0.014	141
142	Storage		341	225		176.80	Utility	Level 4	17,669	5.35	0.013	142
143	Teachers Lounge Restroom		401	875		264.29	Cafeteria with Hard Floor	Level 2	16,365	22.46	0.053	143
144	Main Electric Room		441	575		451.82	Utility	Level 4	17,669	13.67	0.033	144
145	Special Needs Room		442	200		71.67	Nursing Station--Hard Floor	Level 2	5,690	14.76	0.035	145
146	Storage		443	575		451.82	Utility	Level 4	17,669	13.67	0.033	146
147	Storage		444	575		451.82	Utility	Level 4	17,669	13.67	0.033	147
148	Boiler Room		445	2,200		1,728.69	Utility	Level 4	17,669	52.30	0.125	148
149	Office		512	90		50.34	Office with Hard Floor	Level 4	35,972	1.05	0.003	149
150	Office		523	90		50.34	Office with Hard Floor	Level 4	35,972	1.05	0.003	150
151	Electric Room		541	50		39.29	Utility	Level 4	17,669	1.19	0.003	151
152	Girls locker room Storage		602 a	150		117.87	Utility	Level 4	17,669	3.57	0.008	152
153	Girls locker room Storage		602 b	100		78.58	Utility	Level 4	17,669	2.38	0.006	153
154	Girls Locker Room Office		602 c	70		39.15	Office with Hard Floor	Level 4	35,972	0.82	0.002	154
155	Girls Locker Room Storage		602 d	110		86.43	Utility	Level 4	17,669	2.61	0.006	155
156	Boys Locker Room Office		603 a	75		41.95	Office with Hard Floor	Level 4	35,972	0.88	0.002	156
157	Boys lockers Storage		603 b	225		176.80	Utility	Level 4	17,669	5.35	0.013	157
158	Boys locker Room Storage		603 c	200		157.15	Utility	Level 4	17,669	4.75	0.011	158
159	Weight Room Storage		604	240		188.58	Utility	Level 4	17,669	5.70	0.014	159
160	Weight Room Storage		604	240		188.58	Utility	Level 4	17,669	5.70	0.014	160

Northwest Community Schools  
Custodial Services High School

Macro Staffing and Inventory Data												
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field (count)	Total Base Time (Minutes) =	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	Avg. CSF/FTE =	Minutes To Clean =	Total FTEs =	Default Row Seq
				168 Spaces 133,400 Total CSF		60,135.49	MACHRO STAFFING (Both in Minutes)	SWA Level = 3.03/TWA Level = 2.88	18,124	3,091.29	7.36	168 Spaces
161	Storage		641	65		51.07	Utility	Level 4	17,669	1.55	0.004	161
162	Athletic Department Secretary		643	135		53.39	Office with Carpet Floor	Level 3	32,031	1.77	0.004	162
163	Athletic Director		643 a	275		108.76	Office with Carpet Floor	Level 3	32,031	3.61	0.009	163
164	Storage		643 b	140		110.01	Utility	Level 4	17,669	3.33	0.008	164
165	Training Room		644	400		314.31	Utility	Level 3	9,761	17.21	0.041	165
166	Training Room		645	400		314.31	Utility	Level 3	9,761	17.21	0.041	166
167	Concessions		646	300		90.61	Cafeteria with Hard Floor	Level 3	16,365	7.70	0.018	167
168	Spirit Room		647	150		59.33	Office with Carpet Floor	Level 4	53,222	1.18	0.003	168
169												169