

Northwest Community Schools
Custodial Services

Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field (count)	Total Base Time (Minutes) =	Standard Space Category Or Local Custom Space Category	SWA Level = 2.91/TWA Level = 2.69	Avg. CSF/FTE = 21,087	Minutes To Clean = 1,260.28	Total/FTEs = 3.00	98 Spaces
1	100 Wing 277 main hall		160	3,050		1,247.04	Public (Circulation) with Hard Floor	Level 3	30,536	41.95	0.100	
2	North/South main hall		161	3,700		1,506.72	Public (Circulation) with Hard Floor	Level 3	30,536	50.89	0.121	2
3	Counselors office hall		162	175		40.16	Public (Circulation) with Hard Floor	Level 3	53,498	1.37	0.003	3
4	103,104,105 hall		163	725		295.24	Public (Circulation) with Hard Floor	Level 3	30,536	9.97	0.024	4
5	107,108,109,110 hall		165	725		295.24	Public (Circulation) with Hard Floor	Level 3	30,536	9.97	0.024	5
6	200 wing main hall		260	2,300		936.61	Public (Circulation) with Hard Floor	Level 3	30,536	31.64	0.075	6
7	303,304,305,305 hall		261	725		295.24	Public (Circulation) with Hard Floor	Level 3	30,536	9.97	0.024	7
8	307,308,309,310 hall		263	725		295.24	Public (Circulation) with Hard Floor	Level 3	30,536	9.97	0.024	8
9	Main Lobby		560	1,400		570.11	Public (Circulation) with Hard Floor	Level 3	30,536	19.26	0.046	9
10	Bym hall		561	950		386.86	Public (Circulation) with Hard Floor	Level 3	30,536	13.07	0.031	10
11	Receiving Area		562	300		122.47	Public (Circulation) with Hard Floor	Level 3	30,536	4.13	0.010	11
12	Classroom		101	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	12
13	Classroom		102	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	13
14	Classroom		103	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	14
15	Classroom		104	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	15
16	Classroom		105	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	16
17	Classroom		106	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	17
18	Classroom		107	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	18
19	Classroom		108	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	19
20	Classroom		109	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	20
21	Classroom		110	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	21
22	Classroom		201	1,050		639.90	Classroom With Hard Floor	Level 3	26,514	16.63	0.040	22
23	Classroom		202	1,050		639.90	Classroom With Hard Floor	Level 3	26,514	16.63	0.040	23
24	Classroom		203	1,050		639.90	Classroom With Hard Floor	Level 3	26,514	16.63	0.040	24
25	Classroom		204	1,050		639.90	Classroom With Hard Floor	Level 3	26,514	16.63	0.040	25
26	Classroom		207	1,000		445.63	Classroom With Carpet Floor	Level 3	24,016	17.49	0.042	26
27	Classroom		301	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	27
28	Classroom		302	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	28
29	Classroom		303	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	29
30	Classroom		304	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	30
31	Classroom		305	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	31
32	Classroom		306	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	32
33	Classroom		307	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	33
34	Classroom		308	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	34
35	Classroom		309	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	35
36	Classroom		310	750		334.22	Classroom With Carpet Floor	Level 3	24,016	13.12	0.031	36
37	Classroom		401	1,125		501.33	Classroom With Carpet Floor	Level 3	24,016	19.67	0.047	37
38	Classroom		402	1,300		792.25	Classroom With Hard Floor	Level 3	26,514	20.59	0.049	38
39	Classroom		403	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	39
40	Classroom		404	1,300		792.25	Classroom With Hard Floor	Level 3	26,514	20.59	0.049	40

Northwest Community Schools
Custodial Services

Macro Staffing and Inventory Data				98 Spaces 63,275 Total CSF	Flex Field (Count)	Total Base Time (Minutes) = 28,013.51	MACRO STAFFING (Both in Minutes)	SWA Level = 2.91/TWA Level = 2.69	Avg CSF/FTE = 21,087	Minutes To Clean = 1,260.28	Total FTEs = 3.00	98 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF Per FTE	Mins per day (Both)	FTEs (Both)	Default Row Seq
41	Computer Lab		405	725		323.08	Classroom With Carpet Floor	Level 3	24,016	12.68	0.030	41
42	Classroom		501	900		401.06	Classroom With Carpet Floor	Level 3	24,016	15.74	0.037	42
43	Classroom		502	900		401.06	Classroom With Carpet Floor	Level 3	24,016	15.74	0.037	43
44	Gym		500 o	6,200		1,940.07	Gymnasium (Wood Floor)	Level 3	80,727	32.26	0.077	44
45	Gym storage and office		500 a	200		111.86	Office with Hard Floor	Level 3	25,101	3.35	0.008	45
46	Gym storage and office		500 b	125		98.22	Utility	Level 4	17,669	2.97	0.007	46
47	Media Center		208 o	2,700		512.95	Library with Carpet	Level 2	36,890	30.74	0.073	47
48	Media Center Office		208 a	150		59.33	Office with Carpet Floor	Level 2	18,215	3.46	0.008	48
49	Media Center Office		208 b	200		79.10	Office with Carpet Floor	Level 2	18,215	4.61	0.011	49
50	Cafeteria Dining		503	2,250		679.60	Cafeteria with Hard Floor	Level 2	16,365	57.75	0.137	50
51	Kitchen		541 o	625		188.78	Cafeteria with Hard Floor	Level 2	16,365	16.04	0.038	51
52	Nurse's Office Restroom		141 a	50		16.78	Washroom	Level 2	2,571	8.17	0.019	52
53	Main Office Restroom		140 d	50		16.78	Washroom	Level 2	2,571	8.17	0.019	53
54	100 Wing Restroom		170	250		83.91	Washroom	Level 2	2,571	40.85	0.097	54
55	100 Wing Restroom		171	250		83.91	Washroom	Level 2	2,571	40.85	0.097	55
56	Staff Restroom		172	60		20.14	Washroom	Level 2	2,571	9.80	0.023	56
57	Staff Restroom		173	60		20.14	Washroom	Level 2	2,571	9.80	0.023	57
58	200 Wing Restroom		270	250		83.91	Washroom	Level 2	2,571	40.85	0.097	58
59	200 Wing Restroom		271	250		83.91	Washroom	Level 2	2,571	40.85	0.097	59
60	Gym Area Restroom		570	200		67.13	Washroom	Level 2	2,571	32.68	0.078	60
61	Gym Area Restroom		571	200		67.13	Washroom	Level 2	2,571	32.68	0.078	61
62	Kitchen Restroom		541 b	80		26.85	Washroom	Level 2	2,571	13.07	0.031	62
63	Custodial Office Restroom		543 a	60		20.14	Washroom	Level 2	2,571	9.80	0.023	63
64	Main Office Restroom		140 a	625		247.19	Office with Carpet Floor	Level 1	9,553	27.48	0.065	64
65	Principal's Office		140 a	200		79.10	Office with Carpet Floor	Level 3	32,031	2.62	0.006	65
66	Main Office Storage		140 b	30		11.87	Office with Carpet Floor	Level 3	32,031	0.39	0.001	66
67	Main Office Storage		140 c	40		15.82	Office with Carpet Floor	Level 3	32,031	0.52	0.001	67
68	Nurse's Office Restroom		141	120		67.12	Office with Hard Floor	Level 3	25,101	2.01	0.005	68
69	General Work Room		142 o	160		63.28	Office with Carpet Floor	Level 3	32,031	2.10	0.005	69
70	Copy Room		142 a	130		51.42	Office with Carpet Floor	Level 3	32,031	1.70	0.004	70
71	General Work Room		142 b	150		59.33	Office with Carpet Floor	Level 3	32,031	1.97	0.005	71
72	Counselor's Office		143	85		33.62	Office with Carpet Floor	Level 3	32,031	1.11	0.003	72
73	Counselor's Office		144	95		37.57	Office with Carpet Floor	Level 3	32,031	1.25	0.003	73
74	Meeting Room		145	225		88.99	Office with Carpet Floor	Level 3	32,031	2.95	0.007	74
75	Custodian Storage		150	50		39.29	Utility	Level 4	17,669	1.19	0.003	75
76	ROOMS 201-204 Storage		201 a	375		294.66	Utility	Level 4	17,669	8.91	0.021	76
77	Office		205	200		79.10	Office with Carpet Floor	Level 3	32,031	2.62	0.006	77
78	Office		206	200		79.10	Office with Carpet Floor	Level 3	32,031	2.62	0.006	78
79	Custodian Storage		250	50		39.29	Utility	Level 4	17,669	1.19	0.003	79
80	Office		401 a	120		47.46	Office with Carpet Floor	Level 3	32,031	1.57	0.004	80

Northwest Community Schools
Custodial Services

Macro Staffing and Inventory Data												
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field (count)	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF per FTE	Minutes per day (both)	FTEs (Both)	Default Row Seq
				98 Spaces 53,275 Total CSF		Total Base Time (Minutes) = 28,013.51	MACRO STAFFING (Both in Minutes)	SWA Level = 2.91/TWA Level = 2.69	Avg. CSF/FTE = 21.087	Minutes To Clean = 1,260.28	Total FTEs = 3.00	98 Spaces
81	Rooms 402 & 404 Storage		402a	300		235.73	Utility	Level 4	17,669	7.13	0.017	81
82	Office		403 a	240		94.92	Office with Carpet Floor	Level 4	53,222	1.89	0.005	82
83	Music Room office		403 b	100		39.55	Office with Carpet Floor	Level 4	53,222	0.79	0.002	83
84	Mechanical Room		440 o	1,275		1,001.85	Utility	Level 4	17,669	30.31	0.072	84
85	Main Electrical Room		440 a	90		70.72	Utility	Level 4	17,669	2.14	0.005	85
86	Room 501		501 a	100		39.55	Office with Carpet Floor	Level 3	32,031	1.31	0.003	86
87	Storage		501 b	100		78.58	Utility	Level 4	17,669	2.38	0.006	87
88	Storage		501 c	75		58.93	Utility	Level 4	17,669	1.78	0.004	88
89	Storage		501 d	80		62.86	Utility	Level 4	17,669	1.90	0.005	89
90	Room 502 Office		502 a	100		55.93	Office with Hard Floor	Level 3	25,101	1.67	0.004	90
91	Room 502 Office		502 c	100		55.93	Office with Hard Floor	Level 3	25,101	1.67	0.004	91
92	Storage		502 b	100		78.58	Utility	Level 3	9,761	4.30	0.010	92
93	Storage		502 d	175		137.51	Utility	Level 3	9,761	7.53	0.018	93
94	Teachers Lounge		542	440		132.90	Cafeteria with Hard Floor	Level 2	16,365	11.29	0.027	94
95	Custodian Office		543	80		44.74	Office with Hard Floor	Level 3	25,101	1.34	0.003	95
96	Custodian Storage		544	350		275.02	Utility	Level 4	17,669	8.32	0.020	96
97	Custodian Storage		545	250		196.44	Utility	Level 4	17,669	5.94	0.014	97
98	Custodian Storage		550	30		23.57	Utility	Level 4	17,669	0.71	0.002	98
99												99