

Northwest Community School  
Custodial Services

Macro Staffing and Inventory Data												
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	SWA Level = 3.10/TWA Level = 2.82	Avg. CSF/FTE = 20.693	Minutes To Clean = 1,729.41	Total FTEs = 4.22	Default Row/Seq
2	100 hall		161	4,775		1,944.48	Public (Circulation) with Hard Floor	Level 3	30,536	65.68	0.156	2
3	100 hall		162	725		295.24	Public (Circulation) with Hard Floor	Level 3	30,536	9.97	0.024	3
4	100 hall		163	200		81.44	Public (Circulation) with Hard Floor	Level 3	30,536	2.75	0.007	4
5	100 hall		164	260		105.88	Public (Circulation) with Hard Floor	Level 3	30,536	3.58	0.009	5
6	100 hall		165	180		73.30	Public (Circulation) with Hard Floor	Level 3	30,536	2.48	0.006	6
7	200 hall		260	2,230		908.10	Public (Circulation) with Hard Floor	Level 3	30,536	30.67	0.073	7
8	300 hall		361	2,600		1,058.78	Public (Circulation) with Hard Floor	Level 3	30,536	35.76	0.085	8
9	400 hall		461	875		356.32	Public (Circulation) with Hard Floor	Level 3	30,536	12.04	0.029	9
10	500 hall		560	1,630		663.77	Public (Circulation) with Hard Floor	Level 3	30,536	22.42	0.053	10
11	600 hall		660	1,325		539.57	Public (Circulation) with Hard Floor	Level 3	30,536	18.22	0.043	11
12	600 hall		663	190		77.37	Public (Circulation) with Hard Floor	Level 3	30,536	2.61	0.006	12
13	Classroom		101	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	13
14	Classroom		102	1,500		914.14	Classroom With Hard Floor	Level 3	26,514	23.76	0.057	14
15	Classroom		103	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	15
16	Classroom		104	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	16
17	Classroom		105	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	17
18	Classroom		106	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	18
19	Classroom		107	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	19
20	Classroom		108	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	20
21	Classroom		109	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	21
22	Classroom		121	740		450.97	Classroom With Hard Floor	Level 3	26,514	11.72	0.028	22
23	Classroom		123 o	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	23
24	storage		123 a	250		196.44	Utility	Level 4	17,669	5.94	0.014	24
25	Classroom		124	900		548.48	Classroom With Hard Floor	Level 3	26,514	14.26	0.034	25
26	Classroom		125	1,000		609.43	Classroom With Hard Floor	Level 3	26,514	15.84	0.038	26
27	Classroom		126	400		178.25	Classroom With Carpet Floor	Level 3	24,016	7.00	0.017	27
28	Classroom		127 o	1,525		679.58	Classroom With Carpet Floor	Level 3	24,016	26.67	0.063	28
29	Video Lab		127 a	160		97.51	Classroom With Hard Floor	Level 3	26,514	2.53	0.006	29
30	Video Lab		127 b	500		151.02	Cafeteria with Hard Floor	Level 3	16,365	12.83	0.031	30
31	Classroom		128	450		200.53	Classroom With Carpet Floor	Level 3	24,016	7.87	0.019	31
32	Classroom		130	450		91.69	Cafeteria with Carpet	Level 3	15,382	12.29	0.029	32
33	Classroom		202	1,125		685.60	Classroom With Hard Floor	Level 3	26,514	17.82	0.042	33
34	Classroom		203	775		345.36	Classroom With Carpet Floor	Level 3	24,016	13.55	0.032	34
35	Classroom		204	775		345.36	Classroom With Carpet Floor	Level 3	24,016	13.55	0.032	35
36	Classroom		205	775		157.91	Cafeteria with Carpet	Level 3	15,382	21.16	0.050	36
37	Classroom		206	775		234.09	Cafeteria with Hard Floor	Level 3	16,365	19.89	0.047	37
38	Classroom		207	400		178.25	Classroom With Carpet Floor	Level 3	24,016	7.00	0.017	38
39	Classroom		208	775		345.36	Classroom With Carpet Floor	Level 3	24,016	13.55	0.032	39
40	Classroom		209	325		144.83	Classroom With Carpet Floor	Level 3	24,016	5.68	0.014	40

1.5

Northwest Community Schools  
Custodial Services

Macro Staffing and Inventory Data				131 Spaces 85,208 Total CSF	Flex Field (count)	Total Base Time (Minutes) = 38,143.47	MACRO STAFFING (both in Minutes)	SWA Level = 3:10/TWA Level = 2.82	Avg. CSF/FTE = 20.693	Minutes To Clean = 1,729.41	Total FTEs = 4.12	131 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF per FTE	Mins per day (both)	FTEs (Both)	Default Row/Seq
41	Classroom		210	800		487.54	Classroom With Hard Floor	Level 3	26,514	12.67	0.030	41
42	Classroom		300	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	42
43	Classroom		301	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	43
44	Classroom		302	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	44
45	Classroom		303	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	45
46	Classroom		304	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	46
47	Classroom		305	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	47
48	Classroom		306	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	48
49	Classroom		307	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	49
50	Classroom		308	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	50
51	Classroom		310	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	51
52	Classroom		314	750		457.07	Classroom With Hard Floor	Level 3	26,514	11.88	0.028	52
53	Classroom		402	725		323.08	Classroom With Carpet Floor	Level 3	24,016	12.68	0.030	53
54	Classroom		404	800		356.50	Classroom With Carpet Floor	Level 3	24,016	13.99	0.033	54
55	Choir Room		601 o	975		594.19	Classroom With Hard Floor	Level 3	26,514	15.44	0.037	55
56	Choir Office		601 A	90		50.34	Office with Hard Floor	Level 4	35,972	1.05	0.003	56
57	Choir Storage		601 b	120		94.29	Utility	Level 4	17,669	2.85	0.007	57
58	Classroom		603 o	950		578.95	Classroom With Hard Floor	Level 3	26,514	15.05	0.036	58
59	Office		603 a	65		36.36	Office with Hard Floor	Level 2	14,551	1.88	0.004	59
60	Office		603 b	65		36.36	Office with Hard Floor	Level 2	14,551	1.88	0.004	60
61	Office		603 c	120		67.12	Office with Hard Floor	Level 2	14,551	3.46	0.008	61
62	Band Room		605 o	2,700		1,203.19	Classroom With Carpet Floor	Level 3	24,016	47.22	0.112	62
63	Band Room Office		605 a	100		39.55	Office with Carpet Floor	Level 2	18,215	2.31	0.005	63
64	Band Room Practice		605 b	50		22.28	Classroom With Carpet Floor	Level 3	24,016	0.87	0.002	64
65	Band Room Practice		605 c	55		24.51	Classroom With Carpet Floor	Level 3	24,016	0.96	0.002	65
66	Band Room Practice		605 D	60		26.74	Classroom With Carpet Floor	Level 3	24,016	1.05	0.002	66
67	Band Room Practice		605 e	65		28.97	Classroom With Carpet Floor	Level 3	24,016	1.14	0.003	67
68	Band Room Practice		605 h	65		28.97	Classroom With Carpet Floor	Level 3	24,016	1.14	0.003	68
69	Band Room Practice		605 i	60		26.74	Classroom With Carpet Floor	Level 3	24,016	1.05	0.002	69
70	Band Room Practice		605 j	55		24.51	Classroom With Carpet Floor	Level 3	24,016	0.96	0.002	70
71	Band Room Office		605 k	50		22.28	Classroom With Carpet Floor	Level 3	24,016	0.87	0.002	71
72	Band Room Office		605 l	100		39.55	Office with Carpet Floor	Level 2	18,215	2.31	0.005	72
73	ISD Consultant Office		645	100		55.93	Office with Hard Floor	Level 4	35,972	1.17	0.003	73
74	Teacher Office		650	190		106.27	Office with Hard Floor	Level 2	14,551	5.48	0.013	74
75	Gym		100 o	8,420		2,634.74	Gymnasium (Wood Floor)	Level 4	257,323	13.74	0.035	75
76	Stage		100 a	1,260		249.67	Auditorium Stage & Wings	Level 4	239,602	2.21	0.005	76
77	Boys Locker Room		100 b	1,260		110.94	Shower Room	Level 3	4,770	110.94	0.264	77
78	Girls Locker Room Office		604 a	75		41.95	Office with Hard Floor	Level 3	25,101	1.25	0.003	78
79	Girls Locker Room Office		604	1,000		88.05	Shower Room	Level 3	4,770	88.05	0.210	79
80	Media Center		406 o	3,825		726.68	Library with Carpet	Level 3	71,755	22.39	0.053	80

Northwest Community Schools  
Custodial Services

Macro Staffing and Inventory Data				131 Spaces 85,208 Total CSF	Flex Field (count)	Total Base Time (Minutes) = 38,143.47	MACRO STAFFING (Both in Minutes)	SWA Level = 3.10/TWA Level = 2.82	Ave. CSF/FTE = 20.693	Minutes To Clean = 1,729.41	Total FTEs = 4.12	131 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF per FTE	Mins per day (Both)	FTEs (Both)	Default Row/Seq
81	Office Media Center		406 a	200		79.10	Office with Carpet Floor	Level 3	32,031	2.62	0.006	81
82	Media Center Computer Lab		406 b	700		132.99	Library with Carpet	Level 3	71,755	4.10	0.010	82
83	Media Center Meeting Room		406 c	275		108.76	Office with Carpet Floor	Level 3	32,031	3.61	0.009	83
84	Media Center Storage		406 d	430		337.88	Utility	Level 4	17,669	10.22	0.024	84
85	Cafeteria Dining Room		542	2,313		698.63	Cafeteria with Hard Floor	Level 3	16,365	59.36	0.141	85
86	Cafeteria Kitchen		544	740		223.51	Cafeteria with Hard Floor	Level 2	16,365	18.99	0.045	86
87	Kitchen Office & storage		546	400		223.72	Office with Hard Floor	Level 2	14,551	11.55	0.027	87
88	Rest Room Main Office		140 d	40		13.43	Washroom	Level 2	2,571	6.54	0.016	88
89	Girl's Rest Room		170	270		90.62	Washroom	Level 2	2,571	44.11	0.105	89
90	Girl's Rest Room		171	225		75.52	Washroom	Level 2	2,571	36.76	0.088	90
91	Boy's Rest Room		173	225		75.52	Washroom	Level 2	2,571	36.76	0.088	91
92	Restroom Tech Dept		241 b	50		16.78	Washroom	Level 2	2,571	8.17	0.019	92
93	Boy's Restroom		371	240		80.55	Washroom	Level 2	2,571	39.21	0.093	93
94	Girl's Rest Room		373	240		80.55	Washroom	Level 2	2,571	39.21	0.093	94
95	Boy's Restroom		570	275		92.30	Washroom	Level 2	2,571	44.93	0.107	95
96	Restroom Band Room		605 f	80		26.85	Washroom	Level 2	2,571	13.07	0.031	96
97	Restroom Band Room		605 g	80		26.85	Washroom	Level 2	2,571	13.07	0.031	97
98	Restroom Staff men's		671	110		36.92	Washroom	Level 2	2,571	17.97	0.043	98
99	Restroom Staff Women's		673	80		26.85	Washroom	Level 2	2,571	13.07	0.031	99
100	Main Office		140 o	600		237.31	Office with Carpet Floor	Level 1	9,553	26.38	0.063	100
101	Principals office		140 a	225		88.99	Office with Carpet Floor	Level 2	18,215	5.19	0.012	101
102	Title Office		140 b	160		63.28	Office with Carpet Floor	Level 3	32,031	2.10	0.005	102
103	Main Office Storage		140 c	100		78.58	Utility	Level 3	9,761	4.30	0.010	103
104	Main Office Copy Room		141	225		125.84	Office with Hard Floor	Level 3	25,101	3.76	0.009	104
105	Guidance Department		145 o	540		213.57	Office with Carpet Floor	Level 3	32,031	7.08	0.017	105
106	Counselor office		145 a	70		27.69	Office with Carpet Floor	Level 3	32,031	0.92	0.002	106
107	Nurse's office		145 b	70		27.69	Office with Carpet Floor	Level 3	32,031	0.92	0.002	107
108	Resting Room		145 c	70		27.69	Office with Carpet Floor	Level 3	32,031	0.92	0.002	108
109	Asst. Principle Office		240	400		158.20	Office with Carpet Floor	Level 3	32,031	5.24	0.012	109
110	Meeting Room		131	725		286.74	Office with Carpet Floor	Level 3	32,031	9.51	0.023	110
111	Curriculum Office		133	780		308.50	Office with Carpet Floor	Level 3	32,031	10.23	0.024	111
112	Storage		143	100		78.58	Utility	Level 4	17,669	2.38	0.004	112
113	Storage		146	70		55.00	Utility	Level 4	17,669	1.66	0.004	113
114	Electric Closet		148	25		19.64	Utility	Level 4	17,669	0.59	0.001	114
115	Storage		150	170		133.58	Utility	Level 4	17,669	4.04	0.010	115
116	Tech Department		241 o	775		608.97	Utility	Level 4	17,669	18.42	0.044	116
117	Server Room		241 a	310		243.59	Utility	Level 3	9,761	13.34	0.032	117
118	Storage		341	85		66.79	Utility	Level 4	17,669	2.02	0.005	118
119	Transportation Office		342 o	240		94.92	Office with Carpet Floor	Level 2	18,215	5.53	0.013	119
120	Director M&I Office		342 a	140		55.37	Office with Carpet Floor	Level 2	18,215	3.23	0.008	120

Northwest Community Schools  
Custodial Services

Macro Staffing and Inventory Data				131 Spaces 85,208 Total CSF	Flex Field (Count)	Total Base Time (Minutes) = \$38,143.47	MACRO STAFFING (Both in Minutes)	SWA Level = 3.10/TWA Level = 2.82	Avg. CSF/FTE = 20.693	Minutes To Clean = 1,729.41	Total FTEs = 4.12	131 Spaces
Row	Building Name/Number	Floor Name/Number	Space Name/Number	Cleanable SF (CSF)	Flex Field	Base Time (Minutes)	Standard Space Category Or Local Custom Space Category	APPA Cleaning Level	CSF per FTE	Mins per day (Both)	FTEs (Both)	Default Row/Seq
121	Boiler Room		545	1,230		966.49	Utility	Level 4	17,669	29.24	0.070	121
122	Custodial Storage		547	280		220.01	Utility	Level 4	17,669	6.66	0.016	122
123	Custodian Office and Storage		548	425		333.95	Utility	Level 4	17,669	10.10	0.024	123
124	Teachers Lounge		549	400		81.50	Cafeteria with Carpet	Level 2	15,382	10.92	0.026	124
125	ISD Consultant Office		550	375		148.32	Office with Carpet Floor	Level 3	32,031	4.92	0.012	125
126	Storage Lt. Switch Room		641	110		86.43	Utility	Level 3	9,761	4.73	0.011	126
127	Food Service Office		643	120		47.46	Office with Carpet Floor	Level 3	32,031	1.57	0.004	127
128	Office- Dir of Food Service		643 a	140		55.37	Office with Carpet Floor	Level 3	32,031	1.84	0.004	128
129	Storage		652 o	150		117.87	Utility	Level 4	17,669	3.57	0.008	129
130	Storage		652 a	160		125.72	Utility	Level 4	17,669	3.80	0.009	130
131	Storage		652 b	150		117.87	Utility	Level 4	17,669	3.57	0.008	131
132												